

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"6706819"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:01
L2	3	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:02
L3	0	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and exrud\$4 and conduct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:02
L4	0	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and exrud\$4 and conduct\$4 and (fluorine or fluorinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:03
L5	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorine or fluorinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:04
L6	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorine or fluorinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:04
L7	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorine or fluorinat\$4) and (end or endgroup or terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:05
L8	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorinat\$4) and (end or endgroup or terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:05

L9	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$2 and (fluorinat\$4) and (end or endgroup or terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:07
L10	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$2 and (fluorinat\$4) and (end or endgroup or terminat\$4) and (melt\$4 or molten or zone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:08

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#) [Advanced Search](#) [Preferences](#)

Web Results 1 - 10 of about 96 for **tetrafluoroethylene/hexafluoropropylene conductor extruding** with Safe

Tetrafluoroethylene/hexafluoropropylene copolymers with higher ...

A tetrafluoroethylene/hexafluoropropylene copolymer with high drawability is provided. ... (c) extruding the copolymer around the **conductor** at a temperature ...
www.freepatentsonline.com/6623680.html - 47k - [Cached](#) - [Similar pages](#)

Patent 4649228: Transmission line

this **conductor** and the conductors 3 are then enclosed by **extrusion** molding within a covering 4 of PFA resin having a rectangular cross-section, ...

www.freepatentsonline.com/4649228.html - Supplemental Result - [Similar pages](#)
[More results from www.freepatentsonline.com]

中国氟塑料加工网

... and Construction - Poly(**Tetrafluoroethylene-Hexafluoropropylene**)(FEP) Insulation and ... NASA, FEP-27, CABLE, ELECTRICAL, FLAT CONDUCTOR, POLYIMIDE/ FEP ...
fscpa.com.cn/cpbz2/index5.htm - 48k - [Cached](#) - [Similar pages](#)

[PDF] The Novel Lining

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... like other general-purpose thermoplastic resins, it allows **extrusion** molding, injection ...
Semi Conductor ... FEP **tetrafluoroethylene- hexafluoropropylene-** copolymer ...
www.gutbrod-ptfe.de/produkte/ chemresist/prospekt_englisch.pdf - Supplemental Result - [Similar pages](#)

EP655751 Junkosha european software patent - A coaxial cable and ...

If A difference is detected, **extrusion** apparatus applying A second dielectric layer is ... A first dielectric layer that covers the **conductor**; and ...
gauss.ffii.org/PatentView/EP655751 - 43k - Supplemental Result - [Cached](#) - [Similar pages](#)

Extrusion process and product patent

Extrusion/melt draw-down to form insulated conductor is shown on pp. 17-19 of the TEFLO^N.RTM./TEFZEL.RTM. melt **Extrusion** Guide, published by the DuPont ...
www.freshpatents.com/ Extrusion-process-and-product-dt20041125ptan20040232580.php - 36k - Supplemental Result - [Cached](#) - [Similar pages](#)

High melt flow fluoropolymer patent

[0016] A series of **extrusion/melt draw-down** processes are conducted using the extruder for melt draw-down **extrusion** coating of the copper **conductor**, ...
www.freshpatents.com/ High-melt-flow-fluoropolymer-dt20050414ptan20050080211.php - 27k - [Cached](#) - [Similar pages](#)

[More results from www.freshpatents.com]

United States Patent Application: 0050080211

[0016] a Series of **extrusion/melt draw-down** processes are conducted using The extruder for melt draw-down **extrusion** coating of The copper **conductor**, ...
appft1.uspto.gov/.../ 20050080211&RS=DN/20050080211 - 45k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent Application: 0050129838

a Process for the manufacture of An electrode comprising a **conductor** and An ...

[0047] if, on the other hand, the conventional **extrusion** coating method is ...
appft1.uspto.gov/.../20050129838&RS=DN/20050129838 - 39k - Supplemental Result -
[Cached](#) - [Similar pages](#)
[More results from appft1.uspto.gov]

[esp@cenet](#) [description](#) [view](#)

preferably, the resin is Foamed by **extrusion** in the method for forming the Foamed plastic insulation layer on the periphery of the **conductor** ...
v3.espacenet.com/textdes?&DB=EPDOC&IDX=EP0540322&QPN=EP0540322 - 43k - Supplemental Result -
[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)



©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

tetrafluoroethylene/hexafluoropropylene conductor

[Advanced Search](#)
[Preferences](#)**Web Results 1 - 10 of about 96 for tetrafluoroethylene/hexafluoropropylene conductor extruding with Safe****Tetrafluoroethylene/hexafluoropropylene copolymers with higher ...**

A tetrafluoroethylene/hexafluoropropylene copolymer with high drawability is provided. ... (c) extruding the copolymer around the **conductor** at a temperature ...
www.freepatentsonline.com/6623680.html - 47k - [Cached](#) - [Similar pages](#)

Patent 4649228: Transmission line

this **conductor** and the conductors 3 are then enclosed by **extrusion** molding within a covering 4 of PFA resin having a rectangular cross-section, ...

www.freepatentsonline.com/4649228.html - Supplemental Result - [Similar pages](#)

[More results from www.freepatentsonline.com]

中国氟塑料加工网

... and Construction - Poly(**Tetrafluoroethylene-Hexafluoropropylene**)(FEP) Insulation and ... NASA, FEP-27, CABLE, ELECTRICAL, FLAT CONDUCTOR, POLYIMIDE/ FEP ...
fscpa.com.cn/cpbz2/index5.htm - 48k - [Cached](#) - [Similar pages](#)

[PDF] The Novel Lining

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... like other general-purpose thermoplastic resins, it allows **extrusion** molding, injection ...
Semi Conductor ... FEP **tetrafluoroethylene- hexafluoropropylene-** copolymer ...

www.gutbrod-ptfe.de/produkte/ chemresist/prospekt_englisch.pdf - Supplemental Result - [Similar pages](#)

EP655751 Junkosha european software patent - A coaxial cable and ...

If A difference is detected, **extrusion** apparatus applying A second dielectric layer is ... A first dielectric layer that covers the **conductor**; and ...

gauss.ffii.org/PatentView/EP655751 - 43k - Supplemental Result - [Cached](#) - [Similar pages](#)

Extrusion process and product patent

Extrusion/melt draw-down to form insulated conductor is shown on pp. 17-19 of the TEFLOTM./TEFZELTM. melt **Extrusion** Guide, published by the DuPont ...

www.freshpatents.com/ Extrusion-process-and-product-dt20041125ptan20040232580.php - 36k - Supplemental Result - [Cached](#) - [Similar pages](#)

High melt flow fluoropolymer patent

[0016] A series of **extrusion/melt draw-down** processes are conducted using the extruder for melt draw-down **extrusion** coating of the copper **conductor**, ...

www.freshpatents.com/ High-melt-flow-fluoropolymer-dt20050414ptan20050080211.php - 27k - [Cached](#) - [Similar pages](#)

[More results from www.freshpatents.com]

United States Patent Application: 0050080211

[0016] a Series of **extrusion/melt draw-down** processes are conducted using The extruder for melt draw-down **extrusion** coating of The copper **conductor**, ...

appft1.uspto.gov/.../ 20050080211&RS=DN/20050080211 - 45k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent Application: 0050129838

a Process for the manufacture of An electrode comprising a **conductor** and An ...

[0047] if, on the other hand, the conventional **extrusion** coating method is ...
appft1.uspto.gov/.../20050129838&RS=DN/20050129838 - 39k - Supplemental Result -
[Cached](#) - [Similar pages](#)
[More results from appft1.uspto.gov]

[esp@cenet](#) [description](#) [view](#)

preferably, the resin is Foamed by **extrusion** in the method for forming the Foamed plastic insulation layer on the periphery of the **conductor** ...
v3.espacenet.com/textdes?&DB=EPDOC&IDX=EP0540322&QPN=EP0540322 - 43k - Supplemental Result -
[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooogle ►

Result Page: 1 2 3 4 [Next](#)

 Google Desktop Search 9:30 AM
Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#) [Advanced Search](#)[Preferences](#)**Web Results 11 - 20 of about 95 for tetrafluoroethylene/hexafluoropropylene conductor extruding with Saf****Bandwidth Market, Ltd**

C. was applied to an electrical **conductor**. in both cases the **conductor** cross section was ... 10.sup.16 Dielectric constant 1.91 1.93 **extrusion** temperatures ... bandwidthmarket.com/resources/ patents/apps/2002/10/20020156192.html - 18k - Supplemental Result - Cached - [Similar pages](#)

Desiccant or Desiccants - Integrated window sash with groove for ...

18 is a cross-sectional view of a sash frame illustrating multiple nozzles for **extruding** sealant and desiccant on the sash frame. ...

[www.qiaoyun.net/desiccants/desiccant14.htm](#) - 126k - [Cached](#) - [Similar pages](#)

Product Details

as the Nucleator to be used for This **extrusion** Foam forming, ... the **conductor** 11 continuously delivered from the **conductor** delivery machine 1 runs through ... [www.chemi-tek.com/prod_mostra.asp?pid=24680](#) - 38k - Supplemental Result - [Cached](#) - [Similar pages](#)

Fluoropolymer compositions - US Patent 5468782

(b) an insulating jacket which surrounds the **conductor** and which is composed of A ... including molding and melt-**extrusion**, which is generally preferred. ...

[www.patentstorm.us/patents/5468782.html](#) - 36k - Supplemental Result - [Cached](#) - [Similar pages](#)

Crush-resistant high-strength buffered optical waveguide fiber ...

... or full density PTFE tape and could be applied by **extrusion** in the case of ... 385/100, optical transmission cable 385/101, with electrical **conductor** in ...

[www.patentstorm.us/patents/5293442.html](#) - 22k - Supplemental Result - [Cached](#) - [Similar pages](#)

[More results from [www.patentstorm.us](#)]

Polytetrafluoroethylene (PTFE)

... 6,541,588 **Tetrafluoroethylene/hexafluoropropylene** copolymers with higher drawability.

3/25/2003. 123. ... 1/14/2003. 108. 6,506,043 Paste **extrusion** apparatus. 1/7/2003 ...

[www.maropolymeronline.net/aaPatLink/ PQR/Resins/FluoroPolym/PTFE/PTFE200.htm](#) - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

Partners Plastics Blogs Geosynthetica.net Patent Links ...

Method of forming a PTFE insulation layer over a metallic **conductor** and product derived therefrom. 8/10/2004 ... Paste **extrusion** Apparatus. 1/7/2003 ...

[www.maropolymeronline.com/aaPatLink/ PQR/Resins/FluoroPolym/PTFE/PTFE200.htm](#) - 112k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent Application: 0030118886

Accordingly, a polymer electrolyte of a non-Fluorine-containing protonic **conductor** ... forms The membrane from a solution, melt pressing and melt **extrusion**. ... [spore.patentmatrix.com/Projects/ WNCCTC/USC162/..%5CBOS%5C20030118886.html](#) - 71k - Supplemental Result - [Cached](#) - [Similar pages](#)


United States Patent Application: 0030152766

... is a terpolymer of **tetrafluoroethylene**, **hexafluoropropylene** and vinylidene ... material,

conductor, semi-conductor and a ... resin systems by **extruding a halopolymer ...**
spore.patentmatrix.com/projects/ wncctc/Comp046/..%5CBOS%5C20030152766.html - 101k -
Supplemental Result - [Cached](#) - [Similar pages](#)
[More results from spore.patentmatrix.com]

Abstracts of Papers of the Experimental Physics Group

Stretching of HEPP perpendicular to the **extrusion** direction causes cracks advancing
... A copolymer of ethylene **tetrafluoroethylene hexafluoropropylene** and ...
wwwex.physik.uni-ulm.de/Includes/ExpPhysAbstracts.shtml - 244k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#) [Advanced Search Preferences](#)**Web Results 21 - 30 of about 95 for tetrafluoroethylene/hexafluoropropylene conductor extruding with Saf****Bandwidth Market, Ltd**

a coating for a **conductor**, said coating comprised of a melt processible ...

The process of **Extrusion** of a melt processible composition comprising melt ...

www.bandwidthmarket.com/resources/patents/apps/2001/12/20010048179.html - 34k - Supplemental Result - Cached - [Similar pages](#)

[More results from www.bandwidthmarket.com]

[PDF] Automotive & Standard Cables

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... mechanical and electrical properties of the **conductor** alternate bending strength and resistance to torsion ... **FEP Tetrafluoroethylene hexafluoropropylene** ...

www.leoni-cable.com/service/kataloge/pdf/asc_c.pdf - Supplemental Result - [Similar pages](#)

氟塑料国外FEP标准目录

ASTM, FEP-2, Standard Specification for FEP-Fluorocarbon Molding and **Extrusion**

Materials ... NASA, FEP-27, CABLE, Electrical, FLAT **CONDUCTOR**, POLYIMIDE/ FEP ...

www.gsiic.com/index/Article_Print.asp?ArticleID=9148 - 27k - Supplemental Result - Cached - [Similar pages](#)

EP1286382

... are used in a semi-**conductor** device or Various kinds OF devices for a ...

[0121] Subsequently, THE following coating composition (2) was **extrusion** ...

swpat.ffii.org/pikta/txt/ep/1286/382/ - 117k - Supplemental Result - Cached - [Similar pages](#)

[PDF] PRODUCT DIRECTORY

File Format: PDF/Adobe Acrobat

Page 1. 1 PRODUCT DIRECTORY www.nordicnetproducts.net 03049 1-way mirror glass 12034 2K moulding 13274 3D construction programs 00001 ...

www.ekolitt.se/pdf/nordicnetproducts_eng.pdf - Supplemental Result - [Similar pages](#)

Patent 5919583

The fuel cell of claim 1 wherein said inorganic proton **conductor** is selected ...

such Membranes can be made by laminating two films or CO-**extruding** a film ...

67.78.125.131/patent-search/us5919583.html - Supplemental Result - [Similar pages](#)

[PDF] www.nordicnetproducts.com/pdf/nordicnetproducts_en...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

Grenzfl. mater.: titles per sub-domain

... (1994) Effect of **Extrusion** on Fiber Orientation and Breakage of Aluminar ...

on Surface-Modified Poly(**Tetrafluoroethylene Hexafluoropropylene**) Polymers ...

www.cwts.nl/ed/grfl/title17.html - 513k - Cached - [Similar pages](#)

Coated fiber strands, composites and cables including the same and ...

... of the transmission **conductor** for reinforcing the transmission **conductor**, ...

useful **extrusion** equipment includes single or twin screw extruders ...


patents.nimblewisdom.com/patent/6087000-Coated-fiber-strands-composites-and-cables-including-the-same-

and... - 99k - Supplemental Result - [Cached](#) - [Similar pages](#)

Bandwidth Market, Ltd

... perpendicular to the axis of **extrusion**. ... of: electrical **conductor** elements or ... density polytetrafluoroethylene, **tetrafluoroethylene-hexafluoropropylene** copolymer ...

www.bandwidthnews.com/resources/patents/data77/5920671.html - 62k - Supplemental Result - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#) [Advanced Search](#)[Preferences](#)**Web Results 31 - 31 of about 95 for tetrafluoroethylene/hexafluoropropylene conductor extruding with Saf**[\[PDF\] page 1](#) [\[국특허속보 \(N0.2003-09호\) 발행일 : '03.11.03. 1 특 허 ...\]](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)magnet using an **extrusion** Process. 2. 6627118 Ni alloy particles and Method for producing ... 6627058 Thick film **conductor** composition for use in biosensors ...smic.rist.re.kr/file/reference/license/1114%5B2%5D.pdf - Supplemental Result - [Similar pages](#)*In order to show you the most relevant results, we have omitted some entries very similar to the 31 already displayed.**If you like, you can [repeat the search with the omitted results included](#).*Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Search within results](#) | [Language Tools](#) | [Search Tips](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google